Click or tap here to enter text. Click or tap to enter a date. **OBSERVATION AND REPORTING** 6. The single best way to decrease the transfer 1. What changes in a client should a Personal of pathogens (germs) is to: Care Aide (PCA) always report? ☐Wear gloves when caring for clients. (Check ALL that apply) □Wash hands before & after providing care. □Excessive coughing, Skin breakdown □Double bag all the client's trash □ Amber/yellow urine ☐ Hold soiled linen away from your body. ☐Slurred speech, Unsteady gait ☐ A temperature of 100°F. Sudden anxiety MAINTENANCE OF CLEAN, SAFE AND HEALTHY **ENVIRONMENT** ☐ Signs of bruising, Unanswered doorbell 7. If a client is on oxygen and wishes to smoke, ☐ Abusive language which of the following is allowed: ☐One time refusal of a bath ☐ Turn off oxygen before lighting a cigarette. ☐ No hot water in home ☐ Hold the cigarette for the client away from the ☐Request by client for topical application of oxygen and let client take puffs. cream/ointment \square Move the oxygen tank out of the room. □Client requesting any task not listed on their □None of the above service plan. ☐ Failure to take medicine. 8. When transferring a client from bed to □Visited by a relative, good appetite. bedside commode, which action is appropriate for the PCA to take to ensure 2. Which of the following observations by the safetv: PCA of the client may indicate that the client ☐Use leg muscles to lift clients. is depressed? □Keep your feet apart with knees locked to lift □ Pacing around their home clients. □ Reporting to you that they stay up all night ☐ Swing client onto commode with client and sleep all day. positioned at arms' length. □Loss of appetite or overeating ☐ Place your feet together with knees locked to ☐Withdrawal from normal activities lift clients. ☐ All the above 9. Water on the floor is a safety hazard. **BASIC INFECTION CONTROL** True False 3. What is the primary defense mechanism that protects our bodies against infection? 10. If the PCA notices there are cockroaches in □Skin the client's kitchen, the PCA should: □Gloves ☐Clean the kitchen and throw away all the food □Bathing that is not in cupboards. □ Report observations to the nursing supervisor 4. If a client takes his/her own insulin and ☐Tell the client that he needs to keep the house leaves the used syringe and attached needle cleaner. on the bedside table, you should? ☐ Do nothing, you can't change the client's ☐ Place the cap on the needle and put the environment. syringe in the client's wastebasket. □Place the cap on the needle and put the 11. Do not attempt to move an individual who syringe in the client's sharps container. has fallen. True False ☐ Place the cap on the needle then double bag the syringe and put in the client's trash. RECOGNIZING EMERGENCIES AND KNOWLEDGE □None of the above OF EMERGENCY PROCEDURES 12. In case of fire in a client's home, what ONE procedure should the PCA not do: 5. Diseases that spread quickly and easily from one person to another are called: □Exit with your client immediately, if client is ☐ Communicable Diseases ambulatory. □Notify the fire department. □Bacteria □Keep doors closed in client room if smoke has ☐ Heart Disease filled other parts of home. ☐ Liver Disease ☐ Attempt to extinguish the fire.

Click o	or tap here to enter text.		Click or tap to enter a date.
	Which of the following DOES NOT represent a hazard in the presence of oxygen: Unlit Cigarettes Nail polish Perfume Lighters/matches Plastic Check any three (3) safety hazards the PCA should observe for in a client home:		If you arrive at a client's home and observe the house, especially the client's bedroom, it is very cluttered, making it difficult for you to work, you should: Tidy up your work area and put things away. Ask the client to clean the bedroom so that you can work. Leave Make the best of the situation.
	□ Functioning smoke detectors □ Frayed cords / wiring □ Presence / location of fire extinguishers □ Water on the floor □ Loose / scattered rugs □ Overloaded outlets □ Signs of client/spouse smoking in bed □ Broken handrails on stairways		If you suspect a client has been abused, what should you do? Tell a family member. Call the abuse hotline. Call the nursing supervisor. Discuss it with the client.
15.	If a client spilled boiling water on his/her		EQUATE NUTRITION AND FLUID INTAKE Which of the following statements is
16.	hand while trying to cook, you should: Cover the area with Vaseline. Apply cold water or ice to the area if there is no break in the skin and notify the nurse supervisor. Wrap the client's hand in a dry sterile dressing. Scold the client for being in the kitchen. If your client falls while you are in the home, you should not: Apply pressure dressing with clean cloth or sterile gauze if the client is bleeding. Move the client to bed to make him more comfortable. Watch symptoms of shock - paleness,	23.	correct? ☐ A full liquid diet includes milk and sherbets. ☐ A diabetic diet contains foods high in sugar. ☐ A low sodium diet contains foods such as ham. ☐ A clear liquid diet includes tea, Jell-O, and ice pops. Which would be the better choice for a diabetic client's breakfast? ☐ Waffles with syrup, bacon, and hot chocolate ☐ Biscuits and gravy ☐ Pizza ☐ Egg, toast, and coffee
	cold/clammy skin, weakness, nausea.	24.	Which would be the better choice for a client
<u>NEE</u> 17.	Call your supervisor immediately. SICAL, EMOTIONAL AND DEVELOPMENTAL EDS (RESPECT FOR PRIVACY/ PROPERTY) Safety and security needs are met by having food and oxygen. True False If your client's spouse asks you if the client		on a low salt diet to consume? □ Chicken noodle soup and a hot dog □ Turkey sandwich, fruit, and Jell-O □ Ham sandwich, pickles, and chips □ Chili, crackers, and a peanut butter/jelly sandwich
10.	is going to die, you should: Call the nursing supervisor and ask how to correctly answer the question. It elient to discuss it with his/her spouse. Ignore the question. None of the above		The daily recommended fluid intake for an adult is: □ 6 to 8 8-ounce glasses □ 2 to 4 8-ounce glasses □ 3 quarts
19.	Which of the following does not encourage clear and effective communication? Listening attentively Talking about yourself Asking questions Speaking clearly		Good sources of protein are: □Beans, peanut butter, and eggs □Green salad and cooked greens □Potatoes and noodles □Apples and oranges

Click or tap here to enter text.	Click or tap to enter a date.
PREVENTION OF ARUSE AND MEGI FOR	DACIO LUDA A
PREVENTION OF ABUSE AND NEGLECT 27. Most abuse victims are related to their	BASIC HIPAA (CONFIDENTIALITY / ACCOUNTABILITY)
abusers. True False	34. What rules protect the security of health
abusers. True raise	information and provide individuals with
	certain rights to their health information?
28. Children and elderly people are easy targets	□Privacy Rule
for abuse because they:	☐Security Rule
□Are unable to defend themselves.	□Breach of Notification Rule
☐Bruise easily	□All the above
☐Cry frequently	□All tile above
☐ Have so many needs	35. Which Federal Office enforces the HIPAA
Endvo do many noodo	Policy and Rules accompanying it?
29. Most elderly abuse victims:	
□Report the abuse.	□CIA
☐Complain constantly.	☐The HHS Office of Civil Rights
☐Live by themselves	The files of civil Rights
□Are women.	36. The HIPAA Security Rule covers ePHI requiring
□Ale wolliell.	covered entities and businesses to review and
30. You must have proof of actual abuse before	modify security measures to continue protecting
reporting the situation to the authorities.	ePHI in a changing environment.
True False	True False
	BASIC FIRST AID
READING and RECORDING TEMPERATURE, PULSE	37. A break or crack in a bone is called a:
and RESPIRATION	□ Dislocation
31. Normal respirations are:	□Fracture
☐Between 14-20 per minute	□Sprain
□Quiet and effortless	□Strain
☐Regular, with both sides of the chest rising	
and falling equally.	38. Symptoms of shock include:
□All the above	□Slow and weak pulse
	□Increased energy
32. Which of the following is the most common	□Pale clammy skin
area used to take a pulse?	□Hunger
□Radial pulse	On the second of
□Apical pulse	39. Immediate medical attention is required for:
□Brachial pulse	☐Minor sunburn
	□Uncontrolled bleeding
33. Using the picture of the thermometer below,	☐A first-degree burn
record the temperature by applying the	☐A small abrasion
corresponding letter next to the appropriate temperature in the list:	40. A symptom of an internal injury is:
temperature in the list.	□Dry hot skin
Select 95.0	☐Slow pulse
Select 100.8	□Lightheadedness or dizziness
Select 104.2	☐Slow breathing
Select 108.8	41. An external wound is:
Select 102.0	☐A break in the skin
	☐A close fracture
	☐A deep bruise
READING A THERMOMETER	□B and C
A B C DE F GH I J	42. You generally do not have to call 911 for:
Indicated and the second secon	☐ Chemical burns
54 5 8 160 3 4 5 8 10	☐Second degree burns
	☐Third degree burns
	☐First degree burns

Click or tap here to enter text.	Click or tap to enter a date.
43. If you monitor or are suspect that the client has overdosed on drugs or are experiencing side effects of prescribed medications, you should:	50. A disaster preparation kit should have enough food and water to last 24 hours. True False
☐Leave them to 'sleep it off.'	51. Which of the following is a safe place to seek
☐Contact the nurse supervisor.	shelter during tornadoes?
□Notify a family member.	□Underground
□Rotify a family member. □Call 911	□In an interior room
	☐In a hallway without windows
44. A common example of mild adverse effect	□Any of the above
related to medication is:	
□ Constipation	APPROPRIATE and SAFE TECHNIQUES IN
□Nausea	ASSISTING IN BATHING, DRESSING, TOILETING,
⊟Headache	and ANY OTHER ACTIVITY OF DAILY LIVING
☐Skin Rash or dermatitis	52. Tub baths place clients at higher risk for:
☐All the above	□Falls
□All tile above	□Burns
45. Some examples of serious side effects of	□Drowning
medications are suicidal thoughts and	☐All the above
abnormal heart rhythms.	
True False	53. When transferring from bed to chair, place
	the chair on the client's strong side.
FIRE SAFETY / DISASTER PREPAREDNESS	True False
46. The three (3) elements a fire needs to burn are:	
(Mark all that apply)	54. You should encourage the clients to dress
□Heat	themselves as much as possible and help
□Water	them where help is needed.
□Fuel	True False
□Oxygen	EE If the client is makile you should encourage
□Wood	55. If the client is mobile, you should encourage them to use a bedpan rather than getting up
	to go to the bathroom.
47. Damage cords on electrical appliances can	
cause a shock but not a fire.	True False
True False	SAFE TRANSFER TECHNIQUES and AMBULATION
	56. If a client is uncooperative, too heavy, or in
48. The easiest way to remember how to operate	an awkward position; get help?
a fire extinguisher is the P.A.S.S. guidelines.	True False
What does P.A.S.S. mean?	
□Point, Aim, Stand, Sweep	57. A common guideline to follow for lifting or
□Pull, Aim, Squeeze, Sweep	moving a client is:
□Play, Aim, Stand, Shoot	\square Keep the client far away from your body.
□None of the above	☐Keep your head and neck in proper alignment
	with your spine.
49. A violent storm that develops in the tropics	
of the Atlantic Ocean between June and	58. Three (3) reasons caregivers are at great risk
November is known as a(n):	for injury to their back, neck, or spine are:
□Tornado	☐Pulling a client into a sitting position
□Blizzard	□Walking down steps
□Hurricane	☐Transferring a client
□Tsunami	\square Leaning over a client for long periods of time
☐All the above	□Dusting
□None of the above	

Click or tap here to enter text. Click or tap to enter a date. **MEAL PLANNING** PERSONAL HYGIENE and GROOMING 59. Sodium restricted diets are usually ordered 67. Cleanliness and skin care are necessary for for all the following clients except those comfort, safety, and health. True with: 68. You should wash a client from the dirtiest to □ Diabetes the cleanest areas. True ☐Heart disease ☐Kidney disease 69. Shaving should be done in the direction of ☐Liver disease which the hair grows. True 60. You may have to use a food exchange list when preparing food for a diabetic client. 70. Oral Care should be provided: True **False** ☐ In the morning ☐Before bed 61. Which of the following foods provide the ☐All the above ☐ After eating. most protein? ☐Butter and cream NORMAL RANGE OF MOTION and POSITIONING ☐Tomatoes and potatoes 71. Range of motion exercises are used to keep ☐Meat and fish joints, muscles, ligaments, and tendons □Corn and lettuce loose and flexible. True False **SHOPPING** 72. How many times per hour should a client 62. Which of the following should you consider change positions if they are confined to a when shopping for a client? bed? ☐The client's diet. □One □Two ☐ Food preferences □Three ☐ Four ☐The amount of money available for food ☐All the above ORIENTATION TO TRAUMATIC BRAIN INJURY, SPINCAL CORD INJURY, and SIMILAR DISABILITIES 73. What three (3) things should a PCA do while 63. The caregiver does not have to take a receipt caring for a client with TBI? back to the client because he/she used their own car and gas to run an errand for the Make plenty of distractions. client. True **False** □ Do everything for them. □Do the same routine every day. TRANSPORTATION and ESCORT SERVICES □Don't compare clients to how they used to be. 64. It is important that you are aware of a client's ☐ Engage the client in their care. diagnosis/medical status when transporting a client. True **False** 74. What types of effects can a TBI have on a client? 65. If you are transporting a diabetic client to an ☐ Decision making appointment or errands, you should □Verbal expression encourage them to bring a snack in case □Voice changes their blood sugar drops. True ☐ Hand eye coordination 66. If you provide transportation / escort 75. What is dementia? services for a client, you should have a valid driver's license and current auto insurance. ☐ Memory problems □ Alzheimer's disease True **False** ☐Brain Failure 76. Chronic pain is a significant issue for spinal cord injured clients because: ☐ It may enhance the ability to perform ADL's. ☐ Medication side effects are imagined. ☐ It diminishes the quality of life. ☐ It is not "real" pain.